Application No.

09/898,990

Filed:

July 3, 2001

## REMARKS

Claims 22-25 were pending. By way of the present amendment, the Applicants changed the title, amended the specification, amended Claims 22-25 and added new Claims 26-40 to more fully define the Applicants invention. Claims 22-40 are pending for consideration and examination of the same is respectfully requested.

In addition, please charge any additional fees, including any fees for additional extension of time, or credit overpayment to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: September 19, 2002

By:

John M. Grover
Registration No. 42,610
Attorney of Record
2040 Main Street
Fourteenth Floor
Irvine, CA 92614

(949) 760-0404

Application No. Filed:

9/898.990 July 3, 2001

## Version With Markings to Show Changes Made

Insertions appear as underlined text, for example, insertions, while deletions appear as strikethrough text, for example, deletions.

## IN THE SPECIFICATION:

This application is a continuation of Application Serial No. 09/094,202, filed June 9, 1998, now U.S. Patent No. 6,256,523, which is a continuation of Application Serial No. 08/543,789, now U.S. Patent No. 5,782,757, filed October 16, 1995, which is a continuation-in-part of Application Serial No. 08/333,132, filed November 1, 1994, now U.S. Patent No. 5,638,818, which is a continuation-inpart of Application Serial No. 07/672,890, filed March 21, 1991, now abandoned.

## **IN THE CLAIMS:**

22. (Amended) A disposable An optical probe for use with a physiological measurement device, said optical probe comprising:

at least one light emitter adapted to transmit optical radiation into a first side of a medium;

a detector adapted to receive an attenuated portion of the optical radiation after being transmitted through the medium to a second side;

a disposable substrate carrying the at least one emitter and detector; and an optical obstruction between the at least one emitter and said detector which reduces light piping of the optical radiation between said at least one emitter and said detector without transmission through the medium, when said optical probe is affixed to a portion of a patient.

23. (Amended) The disposable optical probe of Claim 22, wherein said optical obstruction comprises an aperture in said disposable substrate between the at least one emitter and the detectorfurther comprising a flexible backing supporting said

Application No.

09/898,990

Filed:

July 3, 2001

flexible circuit, said flexible backing adapted to affixed said optical probe to said medium.

24. (Amended) <u>A disposable An</u>-optical sensor for use in physiological monitoring comprising;

at least one emitter which emits light;

- a detector which receives the light after non-reflective transmission through tissue of a patient;
- a <u>disposable</u> substrate <u>which positions</u> said emitter and said detector <u>proximate to said tissue</u>; and

an optical barrier between the <u>at least one</u> emitter and <u>the</u> detector to substantially obstruct <u>the emitted light radiation</u> from transmitting along the <u>disposable</u> substrate between said <u>at least one</u> emitter and said detector without having passed through <u>the tissue a portion</u> of the patient when said <u>disposable</u> <u>optical</u> sensor is affixed to a patient.

25. (Amended) The <u>disposable</u> optical sensor of Claim 24, wherein said <u>optical barrier obstruction</u> comprises an aperture in said <u>disposable</u> substrate between the at least one emitter and the detector.

H:\DOCS\JMG\JMG-3622.DOC 081502